



Klemsan®

306429 MYK 2,5

For MR 15 Rails 2,5mm², Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Grey

General Product Information	Insulating material	PA
	Inflammability class acc. to UL 94	V2
	Packing Unit	50
	Weight (g)	—
Dimensions	Width	5 mm
	Length	33 mm
	Height (MR 15)	29,6 mm
TSE / CE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	24 A (at 2.5 mm ²) A
	Cross Section	2.5 mm ²
	Norm	EN 60947-7-1 60947-7-2 609998-2-2
VDE Technical Data	Nominal Voltage	— V ~
	Nominal Current	— A
	Cross Section	2.5 mm ²
	VDE Norm	—
UL / CSA Technical Data	Nominal Voltage	600 V ~
	Nominal Current	20 A
	Cross Section	AWG/22-12
ATEX Technical Data	Nominal Voltage	— V ~
	Nominal Current	— A
	Cross Section	2.5
Connection Data	Minimum solid strand cross section	0.8 mm ²
	Maximum solid Strand cross section	4 mm ²

Minimum fine Strand cross section	0.8 mm ²
Maximum fine strand cross section	2.5 mm ²
AWG Conductor Range	28-12
Connection Type	spring/yaylı
Insulation Stripping length	10 mm
Tightening torque	— Nm



Ukrayna Uygunluk Sertifikası - Ukrayna Uygunluk Sertifikası

(ATEX) Potansiyel Patlayıcı atmosferlerde kullanılabilirlik belgesi - ATEX Certificate

Avrupa standartlarına uygunluk belgesi - CE Certificate

EAC - Russian EAC

LAPEM - RETIE Sertifikası - LAPEM - Retie Certificate

UL Sertifikası - UL Certificate

Order Info	
■ 306429	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Grey
■ 306420	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Beige
□ 306426	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, White
■ 306428	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Brown
■ 306427	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Orange
■ 306421	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Blue
■ 306422	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Green
■ 306423	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Yellow
■ 306424	For MR 15 Rails 2,5mm ² , Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA, Red

■ **Order**
300425
Info

For MR 15 Rails 2,5mm², Spring connection, 1 In 1 Out mini feed-through terminal block, Insulation material PA,
Black

© 2022 Klemsan A.Ş.
www.klemsan.com